

Series 4, Telescopic cooker hood, 90 cm, Silver DFT93AC50



DHZ2600 Standard odor filter

The telescopic cooker hood: practically disappears into your upper cabinet, giving you a sleek kitchen front.

Typology: Pull-out
 Length electrical supply cord: 150.0 cm
 Min. required niche size for installation (HxWxD): 140mm x 760.0mm x 280mm mm
 Net weight:8.3 kg
 Type of control: mechanical
 Number of speed settings: 3
 Max. air extraction: 368 m³/h
 Max. air recirculation: 140 m³/h
 Number of lights: 2
 Noise level:68 dB(A) re 1 pW
 Diameter of air outlet: 120 mm
 Grease filter material:Washable aluminium
 Odour filter: No
 Operating Mode: Exhaust / Recirculation (Accessory available separately)
 Optional accessories: DHZ2600
 Type of lamps used: LED
 Grease filter type:Kassette
 Connection rating: 146 W
 Fuse protection: KSA A
 Voltage: 220-240 V
 Frequency: 60; 50 Hz
 Plug type: Gardy plug w/ earthing
 Installation typology: Built-in
 Material body: Lacquered
 Plug type: Gardy plug w/ earthing
 Dimensions of the product, with chimney (if exists) (in):x x
 Dimensions of the packed product: 9.44 x 13.77 x 36.61
 Net weight:18.000 lbs
 Gross weight: 23.000 lbs
 Motor location: Integrated motor in hood body
 No-return airflow flap: Yes
 Length electrical supply cord: 150.0 cm
 Dimensions of the product, with chimney (if exists):180 x 898.0 x 280.0 mm
 Dimensions of the packed product (HxWxD): 240 x 350 x 930 mm
 Net weight:8.3 kg
 Gross weight: 10.4 kg



4 242002 976532

Series 4, Telescopic cooker hood, 90 cm, Silver DFT93AC50

The telescopic cooker hood: practically disappears into your upper cabinet, giving you a sleek kitchen front.

Performance

- 3 speeds
- Maximum extraction rate exhaust air 368 m³/h according to EN 61591
- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 68 dB(A) re 1 pW (54 dB(A) re 20 µPa sound pressure)

Design

- Telescopic Hood Silver
- push buttons


Comfort

- Single motor
- Metal grease fliter, dishwasher safe
- 2 x 4 W LED spot 3W
- Energy Efficiency Class: D (at a range of energy efficiency classes from A+++ to D)


Technical information

- Dimensions (HxWxD): 180 x 898 x 280 mm
- Built-in dimensions (HxWxD): 140 x 760 x 280 mm
- Suitable for ducted or re-circulated extraction
- For installation in a special wall cupboard (90 cm)
- Power rating: 146 W
- 120 or 120 mm diameter pipe


Series 4, Telescopic cooker hood, 90 cm, Silver
DFT93AC50



measurements in mm



measurements in mm



measurements in mm