

FAB30RCR5



Product Family Refrigerator Installation Free standing Top Mount Category Reference width Until 60

Cooling type Fan assisted refrigerator, static

freezer **Defrost** Manual Hinge type Standard Right Hinge position

EAN code 8017709297763



Aesthetics

Aesthetic 50's Style Logo colour Chrome Colour Cream Side material Steel Side colour **Finishing** Glossy Cream Design Rounded Logo **Applied** Heat-moulded Material Door shelves profile Chrome Handle External

Drawers profile color Chrome Handle type Fixed Color of glass shelf Chrome Handle colour Chrome

profile

Refrigerator compartment features





No. of adjustable 2 shelves

Number of fruit and

vegetables drawers Glass

Type of adjustable shelves

Type of On sliding rails

crisper/vegetable drawers cover **Crisper Cover**

Yes

Type of crisper/vegetable drawers cover

Life Plus zone-0°C Internal light in fridge Type of internal light

(fridge)

Refrigerator Inner Door

No. of bottle shelves

1

Glass

Yes

Yes

LED



No. of door shelves with 1 transparent cover

Number of adjustable door shelves

Adjustable door shelves Yes with wire support

Bottle shelves with wire Yes

support

Other Refrigerator features

MultiFlow

Yes

1

Fan

Yes

Freezer compartment features

No. of shelves

Type of shelves

Wire

Other technical features



Door open alarm

Type of temperature control

No. of compressors

Refrigerant gas type Type of compressor Refrigerant Quantity (gr)

Foam agent

Acoustic and visual

Electronic

1

R600a Inverter 70 q

Cyclopentane

Performance / Energy Label - Reg. 2019

222 I

D †

Annual energy consumption

168 kWh/a

D

Energy efficiency class Airborne acoustical C noise emission class

Total net volume 294 I Sum of the volumes of 72 I

the frozen

compartment(s)

Sum of the volumes of the chill compartment(s)

and the unfrozen compartment(s)

Airborne acoustical noise emissions

Temperature Rise Time

4 star - Freezing

capacity

Climate class **EEI**

37 dB(A) re 1 pW

30 h

4 Kg/24h

SN, N, ST, T 80 %

Electrical Connection

Plug Voltage (V) 220-240 V (F;E) Schuko




Electrical connection rating
Current


100 W


0,8 A


Frequency (Hz)
Power supply cable
length

50/60 Hz 180 cm











Alternative products



FAB30LPK5

Hinge position: Left

Pink



FAB30LSV5

Hinge position: Left

Silver



FAB30LBL5

Hinge position: Left

Black



FAB30LPG5

Hinge position: Left

Pastel green



FAB30RBL5

Hinge position: Right

Black



FAB30RPB5

Hinge position: Right

Pastel blue



FAB30LOR5

Hinge position: Left

Orange



FAB30RRD5

Hinge position: Right

Red



FAB30RPG5

Hinge position: Right

Pastel green



FAB30RWH5

Hinge position: Right

White



FAB30ROR5

Hinge position: Right

Orange



FAB30RPK5

Hinge position: Right

Pink



FAB30RLI5

Hinge position: Right

Lime green



FAB30LPB5

Hinge position: Left

Pastel blue



FAB30LRD5

Hinge position: Left

Red



FAB30LCR5

Hinge position: Left

Cream



FAB30RSV5

Hinge position: Right

Silver



FAB30LWH5

Hinge position: Left

White





FAB30RBE5

Hinge position: Right Blue



Symbols glossary



4 stars freezing compartment for better food preservation.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



Energy efficiency class D



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



Benefit (TT)

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 $^{\circ}$ C and 43 $^{\circ}$ C (50 $^{\circ}$ F $^{\circ}$ 109 $^{\circ}$ F)

External handle

The external handle ensures practicality and ease of use of the refrigerator

Life Plus 0°

Temperature-controlled Life Plus compartment for optimal storage of specific food categories

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.